

Test Report No. 210-156147

QSI GmbH - Flughafendamm 9a - D-28199 Bremen

Mr. PolBee Sp.zoo.o.

ul. Brukowa 3
26-800 Kamien, Bialobrzegi, woj. Mazowieckie
POLAND

Date: 18-Dec-2017

Customer No.:	12253	Sample No.:	76482
Product:	Diverse		
Label: MIODOWA TECZA, Mr. PolBee, 250g, MIESZANKA MIODU KREMOWANEGO Z CYTRYNA/MIETA LIOFILIZOWANA, Part No. 1, 08/12/2017			
Arrival Date:	14-Dec-2017	Start / End of Analysis:	14-Dec-2017 / 18-Dec-2017
Kind:	Honey with Lemon and Mint	Packaging:	Original retail
Seal:	unverletzt/intact	Temp.:	RT

VA52001 - TPC, Entero., E.coli, Salmo., Staph., Mould, Yeast, § 64 LFGB, microbiology

Test	(method)	result
Total plate count/g		600
Enterobacteriaceae/g		<10
E. coli/g		<10
Salmonella/25g		negative
Staphylococcus aureus/g		<10
Moulds/Spores/g		<100
Yeasts/g		<100

Comment on the results: < 10 = tested microorganisms not detectable in a dilution of 1:10,
< 100 = in a dilution of 1:100 and so on.

This examination is the basis for special decision guidance.

Quality Services International GmbH

Version 0


Jürgen Wehlitz
Food Chemist



The test results are exclusively related to the items tested for this sample in the above mentioned time frame for analysis. Method and measurement uncertainty details are available upon request. This report is allowed to be copied completely and unchanged but not in extracts.